

SUBMITTAL INFORMATION

7020NL-XMXMX CORNER SETTER



NO LEAD CORNER SETTER MIP X MIP



METER SETTER CATALOG NUMBERS

METELL OF THE STATE OF THE STAT							
CATALOG NUMBER	METER SIZE	METER SPACING	LENGTH	HEIGHT	COPPER SIZE (O.D)	MIP SIZE	APRROX. WT. LBS.
7020NL-1M3M3	5/8"	7 1/2"	11 5/8"	3 7/8"	13/16"	3/4"	
7020NL-2M3M3	5/8" X 3/4"	7 1/2"	11 5/8"	3 7/8"	13/16"	3/4"	
7020NL-3M3M3	3/4"	9"	13 1/8"	3 7/8"	13/16"	3/4"	
7020NL-4M4M4	1"	10 3/4"	16 1/4"	5 1/16"	1 1/8"	1."	

FEATURES:

- MANUFACTURED IN COMPLIANCE WITH AWWA STANDARD CB00(ASTM B-584, UNS NO C89833).
- MANUFACTURED IN COMPLIANCE WITH AWWA STANDARD C800(ASTM B-584, UNS NO C89833)
 CONFORMS TO ANSI/NSF 61-8
 CONFORMS TO ANSI/NSF 372 (COMPLIANT WITH US Safe Drinking Water Act. PL 111-380)
 300 PSI WORKING PRESSURE.
 SADDLE NUTS HOLD THE METER IN PLACE FOR TIGHTENING.
 13/16" O.D. COPPER RISERS PROVIDE MORE FLOW CAPACITY.
 ASSEMBLED WITH LEAD FREE SOLDER.
 CONSTRUCTED WITH TYPE K COPPER TUBING, ALLOY C12200 MANUFACTURED TO ASTM 88.
 FACTORY TESTED AT 90 PSI AIR PRESSURE UNDER WATER.
 POSITIONS THE METER DIRECTLY ABOVE THE CENTERLINE OF THE SERVICE.
 THREAD PROTECTORS ARE STANDARD
 METER IDLER BAR STANDARD

- METER IDLER BAR STANDARD FURNISHED WITH TWO EPDM RUBBER GASKETS FOR METER NUTS

Cambridge Brass considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice.

Cambridge Brass P.O. Box 249, 140 Orion Place Cambridge, Ontario Canada N1R 5V1 Tel: (519) 621-5520 Fax: (519) 621-8674 http://www.cambridgebrass.com



SUBMITTED BY:

REV. B - NOVEMBER 2015